

BIBLIOGRAPHY

- G. A. Abers, P. E. van Keken, E. A. Kneller, A. Ferris, and J. C. Stachnik. The thermal structure of subduction zones constrained by seismic imaging: Implications for slab dehydration and wedge flow. *Earth Planet. Sci. Lett.*, 241:387–397, 2006.
- D.L. Abt, K. M. Fischer, L. Martin, G. A. Abers, J.M Protti, and W. Strauch. Shear-wave splitting tomography in the Central American subduction zone: Implications for flow and melt in the mantle wedge. *AGU Fall Meeting*, 2006. Abstract.
- M. Anderson, G. Zandt, and L. Wagner. Along-strike mantle flow variations in a segment of the South American Subduction zone, Chile and Argentina. *Earth and Planet. Sci. Lett.*, 2007. submitted.
- M. L. Anderson, G. Zandt, E. Triep, M. Fouch, and S. Beck. Anisotropy and mantle flow in the Chile-Argentina subduction zone from shear wave splitting analysis. *Geophys. Res. Lett.*, 31, doi:10.1029/2004GL020906, 2004.
- D. Arcay, E. Tric, and M.P. Doin. Numerical simulations of subduction zones: Effect of slab dehydration on the mantle wedge dynamics. *Phys. Earth Planet. Int.*, 149: 133–153, 2005.
- D.F. Argus and R.G. Gordon. No-net-rotation model of current plate velocities incorporating plate motion model NUVEL-1. *Geophys. Res. Lett.*, 18:2039–2042, 1991.
- E. Audoiné, M. K. Savage, and K. Gledhill. Seismic anisotropy from local earthquakes in the transition region from subduction to strike-slip plate boundary, New Zealand. *J. Geophys. Res.*, 105:8013–8033, 2000.

- E. Audoiné, M. K. Savage, and K. Gledhill. Anisotropic structure under a back arc spreading region the Taupo Volcanic Zone, New Zealand. *J. Geophys. Res.*, 109: doi: 10.1029/2003JB002932, 2004.
- V. Babuska and M. Cara. *Seismic anisotropy in the Earth*. Kluwer Acad., Norwell, Mass., 1991.
- G.K. Batchelor. *An Introduction to Fluid Dynamics*. Cambridge University Press, Cambridge, 1967. pp. 615.
- M. I. Billen and M. Gurnis. A low viscosity wedge in subduction zones. *Earth Planet. Sci. Lett.*, 193:227–236, 2001.
- R. Blakely, T. Brocher, and R. Wells. Subduction-zone magnetic anomalies and implications for hydrated forearc mantle. *Geology*, 33:445–448, 2005.
- G. Bock, R. Kind, and G. Asch. Shear wave anisotropy in the upper mantle beneath the Nazca Plate in northern Chile. *J. Geophys. Res.*, 103:24333–24346, 1998.
- E. Bonafede, M. and Boschi and M. Dragoni. Mechanical models of slow source processes. In H. Kanamori and E. Boschi, editors, *Earthquakes; Observation, Theory and Interpretation*. Scuola Internazionale di Fisica Enrico Fermi, North Holland, Amsterdam, 1983. pp. 330-344.
- A. G. Bostock, R. D. Hyndman, S. Rondenay, and S. M. Peacock. An inverted continental Moho and serpentinization of the fore arc mantle. *Nature*, 417:536–538, 2002.
- T.M. Brocher, T. Parsons, A.M. Tréhu, C.M. Snelson, and M.A. Fisher. Seismic evidence for widespread serpentinized forearc upper mantle along the Cascadia margin. *Geology*, 31:267–270, 2003.

- G.D. Bromiley and A.R. Pawley. The stability of antigorite in the systems MgO-SiO₂-H₂O (MSH) and MgO-Al₂O₃-SiO₂-H₂O (MASH): The effects of Al³⁺ substitution on high-pressure stability. *Amer. Mineral.*, 88:99–1082, 2003.
- J. T. Browaeyns and S. Chevrot. Decomposition of the elastic tensor and geophysical applications. *Geophys. J. Int.*, 159:667–678, 2004.
- J. Buttles and P Olson. A laboratory model of subduction zone anisotropy. *Earth Planet. Sci. Lett.*, 164:245–262, 1998.
- M. Bystricky, K. Kunze, L. Burlini, and J.P. Burg. High shear strain of olivine aggregates: Rheological and seismic consequences. *Science*, 290:1564–1567, 2000.
- S. Chevrot. Multichannel analysis of shear wave splitting. *J. Geophys. Res.*, 105: 21579–21590, 2000.
- S. Chevrot and R. D. van der Hilst. On the effects of a dipping axis of symmetry on shear wave splitting measurements in a transversely isotropic medium. *Geophys. J. Int.*, 152:497–505, 2003.
- D. H. Christensen, G. A. Abers, and T. McNight. Mantle anisotropy beneath the Alaska range inferred from s-wave splitting observations: results from BEAAR. *EOS Trans. AGU*, 84, 2003. Fall Meet. Suppl., S31C-96-0782.
- N. I. Christensen. Serpentinites, peridotites, and seismology. *Inter. Geol. Rev.*, 46: 795–816, 2004.
- M.F. Coffin, L.M. Gahagan, and L.A. Lawver. Present-day plate boundary digital data compilation. *University of Texas Institute for Geophysics Technical Report*, 174:5, 1998.

- J. A. Conder. A case for hot slab surface temperatures in numerical viscous flow models of subduction zones with improved fault zone parameterization. *Earth Planet. Sci. Lett.*, 149:155–164, 2005.
- J. A. Conder, D. Wiens, and J. Morris. On the decompression melting structure at volcanic arcs and back-arc spreading centers. *Geophys. Res. Lett.*, 29, doi:10.1029/2002GL015390, 2002.
- C. A. Currie, J. F. Cassidy, and R. D. Hyndman. A regional study of shear wave splitting above the Cascadia subduction zone: margin-parallel crustal stress. *Geophys. Res. Lett.*, 28:659–662, 2001.
- C. A. Currie, J. F. Cassidy, R. D. Hyndman, and M. G. Bostock. Shear wave anisotropy beneath the Cascadia subduction zone and western North American craton. *Geophysical J. Int.*, 157:341–353, 2004.
- C. A. Currie, K. Wang, R. D. Hyndman, and J. He. The thermal effects of steady-state mantle flow above a subducting plate: the cascadia subduction zone and back arc. *Earth Planet. Sci. Lett.*, 223:35–48, 2000.
- C. Cuvelier, A. Segal, and A. A. van Steenhoven. *Finite element methods and Navier-Stokes equations*. Reidel Publishing, Dordrecht, Holland, 1986.
- J. H. Davies and D. J. Stevenson. Physical model of source region of subduction zone volcanics. *J. Geophys. Res.*, 97:2037–2070, 1992.
- E. R. Engdahl, R. van der Hilst, and R. Buland. Global teleseismic earthquake relocation with improved travel times and procedures for depth determination. *Bull. Seismol. Soc. Am.*, 88:722–743, 1998.

- P. England, R. Engdahl, and W. Thatcher. Systematic variation in the depths of slabs beneath arc volcanoes. *Geophys. J. Int.*, 156:377–408, 2004.
- A. Ewart, K. D. Collerson, M. Regelous, J. I. Wendt, and Y. Niu. Geochemical evolution within the Tonga-Kermadec-Lau arc-back-arc systems: the role of varying mantle wedge composition in space and time. *J. Petrology*, 39:331–368, 1998.
- M. Faure, P. Monie, and O. Fabbri. Microtectonics and ^{39}Ar - ^{40}Ar dating of high pressure metamorphic rocks of the south Ryukyu Arc and their bearings on the pre-Eocene geodynamic evolution of Eastern Asia. *Tectonophysics*, 156:133–143, 1988.
- A. Ferris, G.A. Abers, D.H. Christensen, and E. Veenstra. High resolution image of the subducted Pacific (?) plate beneath central Alaska, 50-150 km depth. *Earth and Planet. Sci. Lett.*, 214:575–588, 2003.
- K. M. Fischer, M. J. Fouch, D. A. Wiens, and M. S. Boettcher. Anisotropy and flow in Pacific subduction zone back-arcs. *Pure Appl. Geophysical*, 151:463–475, 1998.
- K. M. Fischer, E. M. Parmentier, A. R. Stine, and E. Wolf. Modeling anisotropy and plate-driven flow in the Tonga subduction zone back arc. *J. Geophys. Res.*, 105:181–191, 2000.
- K. M. Fischer and D. A. Wiens. The depth distribution of mantle anisotropy beneath the Tonga subduction zone. *Earth Planet. Sci. Lett.*, 142:253–260, 1996.
- K. M. Fischer and X. Yang. Anisotropy in Kuril-Kamchatka subduction zone structure. *Geophys. Res. Lett.*, 21:5–8, 1994.
- M.M. Flidner and S.L. Klemperer. Structure of an island-arc: Wide-angle seismic

- studies in the eastern Aleutian Islands, Alaska. *J. Geophys. Res.*, 104:10667–10694, 1999.
- M. J. Fouch and K. M. Fischer. Mantle anisotropy beneath northwest Pacific subduction zones. *J. Geophys. Res.*, 101:15987–16002, 1996.
- M. J. Fouch and K. M. Fischer. Shear wave anisotropy in the Mariana subduction zone. *Geophys. Res. Lett.*, 25:1221–1224, 1998.
- M. Fournier and O. Fabbri. Regional seismicity and on-land deformation in the Ryukyu arc: Implication for kinematics of opening of the Okinawa Trough. *J. Geophys. Res.*, 106:13751–13768, 2001.
- S. Franck and C. Bounama. Effects of water dependent creep rate on volatile exchange between mantle and surface reservoirs. *Phys. Earth Planet. Int.*, 92:57–65, 2000.
- K. Frese, V. Trommsdorff, and K. Kunze. Olivine [100] normal to foliation: lattice preferred orientation in prograde garnet peridotite formed at high H₂O activity, Cima di Gagnone (Central Alps). *Contrib. Mineral. Petrol.*, 145:75–86, 2003.
- C. Frohlich. The nature of deep-focus earthquakes. *Annu. Rev. Earth Planet. Sci.*, 17:227–254, 1989.
- Y Furukawa. Depth of the decoupling plate interface and thermal structure under arcs. *J. Geophys. Res.*, 98:20005–20013, 1993.
- Y. Furukawa and S. Uyeda. Thermal structure under the Tohoko arc with consideration of crustal heat generation. *Tectonophysics.*, 164:175–187, 1989.
- J Gill. *Orogenic Andesites and Plate Tectonics*. Springer-Verlag, New York, 1981.

- K. Gledhill and D Gubbins. SKS splitting and the seismic anisotropy of the mantle beneath the Hikurangi subduction zone, New Zealand. *Phys. Earth Planet. Int.*, 95:227–236, 1996.
- H.W. Green. The mechanics of deep earthquakes. *Annu. Rev. Earth Planet. Sci.*, 23:169–213, 1995.
- A.E. Gripp and R.G. Gordon. Young tracks of hot spots and current plate velocities. *Geophys. J. Int.*, 150:321–361, 2002.
- T. L. Grove, N. Chatterjee, S. W. Parman, and E. Médard. The influence of H₂O on mantle wedge melting. *Earth and Planet. Sci. Letters*, 249:74–89, 2006.
- O. Gudmundsson and M. Sambridge. A regionalized upper mantle (RUM) seismic model. *J. of Geophys. Res.*, 103:7121–7136, 1998.
- B. R. Hacker, G. A. Abers, and S. M. Peacock. Subduction factory 1. theoretical mineralogy, densities, seismic wave speeds, and h₂o contents. *J. Geophys. Res.*, 108, doi:10.1029/2001JB001127, 2003a.
- B. R. Hacker, S. M. Peacock, G. A. Abers, and Holloway. S. D. Subduction factory 2. are intermediate-depth earthquakes in subducting slabs linked to metamorphic dehydration reactions? *J. Geophys. Res.*, 108, doi:10.1029/2001JB001129, 2003b.
- C. E. Hall, K. M. Fischer, E. M. Parmentier, and D. K. Blackman. The influence of plate motions on three-dimensional back arc mantle flow and shear wave splitting. *J. Geophys. Res.*, 105:28009–28033, 2000.
- A. Hasegawa, S. Horiuchi, and N. Umino. Seismic structure of the northeastern Japan convergent margin: A synthesis. *J. Geophys. Res.*, 99:22295–22311, 1994.

- C. J. Hawkesworth, J. M. Gallagher, K. Hergt, and F. McDermott. Mantle and slab contributions in arc magmas. *Annu. Rev. Earth Planet. Sci.*, 21:175–204, 1993.
- A. Heuret and S. Lallemand. Plate motions, slab dynamics and back-arc deformation. *J. Geophys. Res.*, 149:31–51, 2005.
- Y. Hiramatsu and M. Ando. Seismic anisotropy near source region in subduction zones around Japan. *Phys. Earth Planet. Int.*, 95:237–250, 1996.
- Y. Hiramatsu, M. Ando, T. Tsukuda, and T. Ooida. Three-dimensional image of the anisotropic bodies beneath central Honshu, Japan. *Geophysical J. Int.*, 135:801–816, 1998.
- G. Hirth and D. Kohlstedt. Rheology of the upper mantle and the mantle wedge: A view from the experimentalists. In J. Eiler, editor, *Inside the Subduction Factory*, Geophysical Monograph 103, pages 83–105. AGU, Washington, D.C., 2003.
- G. Hirth and D. L. Kohlstedt. Water in the oceanic upper mantle: implications for rheology, melt extraction and the evolution of the lithosphere. *Earth Planet. Sci. Lett.*, 144:93–108, 1996.
- B. K. Holtzman, D. L. Kohlstedt, M. E. Zimmerman, F. Heidelback, T. Hiraga, and J. Hustoft. Melt segregation and strain partitioning: Implications for seismic anisotropy and mantle flow. *Science*, 301:1227–1230, 2003.
- S. Honda and M. Saito. Small-scale convection under the back-arc occurring in the low viscosity wedge. *Earth Planet. Sci. Lett.*, 216:703–715, 2003.
- R. D. Hyndman and S. M. Peacock. Serpentinization of the fore arc mantle. *Earth and Planet. Sci. Letters*, 212:417–432, 2003.

- B. W. Ismail and D. Mainprice. An olivine fabric database: an overview of upper mantle fabrics and seismic anisotropy. *Tectonophysics*, 196:145–157, 1998.
- T. Iwasaki, N. Hirata, T. Kanazawa, J. Melles, K. Suyehiro, T. Urabe, Makris J. Moller, L., and H. Shimamura. Crustal and upper mantle structure in the Ryukyu Island Arc deduced from deep seismic sounding. *Geophys. J. Int.*, 102:631–651, 1990.
- R. D. Jarrard. Relations among subduction parameters. *Rev. Geophys.*, 24:217–284, 1986.
- M. C. Johnson and T. Plank. Dehydration and melting experiments constrain the fate of subducted sediments. *Geochem. Geophys. Geosyst.*, 3, doi:1999GC000014, 1999.
- H. Jung and S. Karato. Water-induced fabric transition in olivine. *Science*, 293: 1460–1463, 2001.
- H. Jung, I. Katayama, Z. Jiang, T. Hiraga, and S. Karato. Effect of water and stress on the lattice-preferred orientation of olivine. *Tectonophysics*, 421:1–22, 2006.
- H. Kamata and K. Kodama. Volcanic history and tectonics of the Southwest Japan Arc. *The Island Arc*, 8:393–403, 1999.
- E. Kaminski, N. M. Ribe, and J. T. Browaeys. D-Rex, a program for calculation of seismic anisotropy due to crystal lattice preferred orientation in the convective upper mantle. *Geophys. J. Int.*, 158:744–752, 2004.
- S. Kamiya and Y. Kobayashi. Seismological evidence for the existence of serpentinized wedge mantle. *Geophysical Res. Let.*, 27:819–822, 2000.

- H. Kanamori and Cipar J. J. Focal process of the great Chilean earthquake May 22, 1960. *Phys. Earth Planet. Int.*, 9:128–136, 1974.
- S. Karato. Mapping water content in the upper mantle. In J. Eiler, editor, *Inside the subduction factory*, Geophysical Monograph 138, pages 135–149. AGU, Washington, D.C., 2003.
- S. Karato and H. Jung. Effects of pressure on high-temperature dislocation creep in olivine. *Philos. Mag.*, 83:401–414, 2003.
- S. Karato and P. Wu. Rheology of the upper mantle: a synthesis. *Science*, 260:771–778, 1993.
- D. E. Karig. Plate convergence between the Philippines and Ryukyu islands. *Marine Geology*, 14:153–168, 1973.
- I Katayama, H. Jung, and S. Karato. New type of olivine fabric from deformation experiments at modest water content and low stress. *Geology*, 32:1045–1048, 2004.
- I Katayama and S. Karato. Effect of temperature on the B- to C-type olivine fabric transition and implication for flow pattern in subduction zones. *Phys. Earth Planet. Int.*, 157, 2006a.
- I Katayama and S. Karato. The effect of water on low temperature rheology of olivine. *J. Geophys. Res.*, 2006b. submitted.
- I Katayama, S. Karato, and M. Brandon. Evidence of high water content in the deep upper mantle inferred from deformation microstructures. *Geology*, 33:613–616, 2005.
- P. B Kelemen, J. L. Rilling, E. M. Parmentier, L. Mehl, and B. R. Hacker. Thermal structure due to solid-state flow in the mantle wedge beneath arcs. In J. Eiler,

- editor, *Inside the subduction factory*, Geophysical Monograph 138,. AGU, Washington, D.C., 2003. pp. 293-311.
- J.-M. Kendall, G.W. Stuart, C.J. Ebinger, I.D. Bastow, and Keir D. Magma-assisted rifting in Ethiopia. *Nature*, 433:146–148, 2005.
- B. Kennett and E. Engdahl. Traveltimes for global earthquake location and phase identification. *Geophys. J. Int.*, 105:429–465, 1991.
- H. Kern. P- and S-wave anisotropy and shear-wave splitting at pressure and temperature in possible mantle rocks and their relation to the rock fabric. *Phys. Earth and Planet. Int.*, 78, 1993.
- H. Kern, B. Liu, and T. Popp. Relationship between anisotropy of P and S wave velocities and anisotropy of attenuation in serpentinite and amphibolite. *J. Geophys. Res.*, 102, 1997.
- C. Kincaid and R.W. Griffiths. Laboratory models of the thermal evolution of the mantle during rollback subduction. *Nature*, 425:58–62, 2003.
- S. Kirby, E.R. Engdahl, and R. Denlinger. Intermediate-depth intraslab earthquakes and arc volcanism as physical expressions of crustal and uppermost mantle metamorphism in subducting slabs. In *Subduction top to bottom*, Geophysical Monograph 96,. AGU, Washington, D.C., 1996. pp.195-214.
- E. R. Klosko, F. T. Wu, H. J. Anderson, D. Eberhart-Phillips, T. V. McEvilly, M. K. Audoiné, M. K. Savage, and K. R. Gledhill. Upper mantle anisotropy in the New Zealand region. *Geophys. Res. Lett.*, 26:1497–1500, 1999.
- E .A. Kneller, P. E. van Keken, S. Karato, and J. Park. B-type olivine fabric in

- the mantle wedge: Insights from high-resolution non-Newtonian subduction zone models. *Earth Planet. Sci. Lett.*, 237:781–797, 2005.
- E.A. Kneller, P.E. van Keken, I. Katayama, and S. Karato. Stress, strain, and B-type olivine fabric in the fore-arc mantle: sensitivity tests using high-resolution steady-state subduction zone models. *J. Geophys. Res.*, 112, doi:10.1029/2006JB004544, 2007.
- S. Kodaira, T. Iwasaki, T. Urabe, T. Kanazawa, F. Egloff, J. Makris, and H. Shimamura. Crustal structure across the middle Ryukyu trench obtained from ocean bottom seismographic data. *Tectonophysics*, 263:39–60, 1996.
- D. L. Kohlstedt, B. Evans, and S. J. Mackwell. Strength of the lithosphere: Constraints imposed by laboratory experiments. *J. Geophys. Res.*, 100:17587–17602, 1995.
- T. Komabayashi, K. Hirose, K. Funakoshi, and N. Takafuji. Stability of phase A in antigorite (serpentine) composition determined by in situ X-ray pressure observations. *Phys. Earth Planet. Int.*, 151:276–289, 2005.
- A. Kubo and E. Fukuyama. Stress field along the Ryukyu Arc and the Okinawa Trough inferred from moment tensors of shallow earthquakes. *Earth Planet. Sci. Lett.*, 210:305–316, 2003.
- T. M. Lassak, M. J. Fouch, C. E. Hall, and E. Kaminski. Seismic characterization of mantle flow in subduction systems: Can we resolve a hydrated mantle wedge? *Earth Planet. Sci. Lett.*, 243:632–649, 2006.
- V. Levin, D. Drozin, and E. Gordeev. Detailed mapping of seismic anisotropy with

- local shear waves in southeastern Kamchatka. *Geophysical J. Int.*, 158:1009–1023, 2004.
- C. Lithgow-Bertelloni and M. A. Richards. Dynamics of Cenozoic and Mesozoic plate motions. *Rev. Geophys.*, 36:27–78, 1998.
- M. Long, B.H. Hager, M.V. de Hoop, and R. van der Hilst. Two-dimensional modelling of subduction zone anisotropy with application to southwestern Japan. *Geophys. J. Int.*, 2007. in press.
- M. Long and R. van der Hilst. Upper mantle anisotropy beneath Japan from shear wave splitting. *Phys. Earth Planet. Int.*, 151:1346–1358, 2005.
- M. Long and R. van der Hilst. Shear wave splitting from local events beneath the Ryukyu arc: Trench-parallel anisotropy in the mantle wedge. *Phys. Earth Planet. Int.*, 155:300–312, 2006.
- D. Mainprice. A Fortran program to calculate seismic anisotropy from the lattice preferred orientation of minerals. *Computers and Geosciences*, 16:385–393, 1990.
- K. Marson-Pidgeon, M. K. Savage, K. Gledhill, and G. Stuart. Seismic anisotropy beneath the lower half of the North Island, New Zealand. *J. Geophys. Res.*, 104: 20277–20286, 1999.
- D. McKenzie. Finite deformation during fluid flow. *Geophys. J. R. Astron. Soc.*, 58: 689–715, 1979.
- A.K. McNamara. *Geodynamic modeling of mantle convection to investigate mantle layering and the cause of lower mantle anisotropy: PhD Dissertation University of Michigan.* 2002.

- L. Mehl, B. R. Hacker, G. Hirth, and P. B. Kelemen. Arc-parallel flow within the mantle wedge evidence from the accreted Talkeetna arc, south central Alaska. *J. Geophys. Res.*, 108, doi:10.1029/2002JB002233, 2003.
- S Mei and D. L. Kohlstedt. Influence of water on plastic deformation of olivine aggregates 1. diffusion creep regime. *J. Geophys. Res.*, 150:21457–21469, 2000a.
- S Mei and D. L. Kohlstedt. Influence of water on plastic deformation of olivine aggregates 2. dislocation creep regime. *J. Geophys. Res.*, 105:21471–21481, 2000b.
- M. M. Miller, T. Melbourne, D. J. Johnson, and W. Q. Sumner. Periodic slow earthquakes from the Cascadia subduction zone. *Science*, 295:2423, 2001.
- T. Mizukami, S. R. Wallis, and J. Yamamoto. Natural examples of olivine lattice preferred orientation patterns with a flow-normal a-axis maximum. *Nature*, 427:432–436, 2004.
- J. R. Mockel. Structural petrology of the garnet-peridotite of Alpe Arami (Ticino, Switzerland). *Leidse. Geol. Meded.*, 42:61–130, 1969.
- J. Nakajima and A. Hasegawa. Shear-wave polarization anisotropy and subduction-induced flow in the mantle wedge of northeastern Japan. *Earth Planet. Sci. Lett.*, 225:365–377, 2004.
- J. Nakajima, T. Matsuzawa, A. Hasegawa, and D. Zhao. Three-dimensional structure of v_p , v_s , and v_p/v_s beneath northeastern Japan: Implications for arc magmatism and fluids. *J. Geophys. Res.*, 106:21843–21857, 2001.
- J. Nakajima, J. Shimizu, S. Hori, and A. Hasegawa. Shear-wave splitting beneath the southwestern Kurile arc and northeastern Japan arc: A new insight into mantle return flow. *Geophys. Res. Lett.*, 33, doi:10.1029/2003JB002718, 2006.

- M. Nakamura. Crustal deformation in the central and southern Ryukyu Arc estimated from GPS data. *Earth Planet. Sci. Lett.*, 217:389–398, 2004.
- S. Nishimura, M. Hashimoto, and M. Andob. A rigid block rotation model for the GPS derived velocity field along the Ryukyu arc. *Phys. Earth Planet. Int.*, 142:185–203, 2004.
- K. Obara. Nonvolcanic deep tremor associated with subduction in southwest Japan. *Science*, 296:1679–1681, 2002.
- T. Okada, T. Matsuzawa, and A. Hasegawa. Shear-wave polarization anisotropy beneath the north-eastern part of Honshu, Japan. *Geophysical J. Int.*, 123:781–797, 1995.
- Y. Okubo, Y. Uchida, M. Taniguchi, A. Miyakoshi, and J. Safanda. Statistical analysis for thermal data in the Japanese Islands. *Phys. Earth Planet. Int.*, 152:277–291, 2005.
- J. Park and V. Levin. Seismic anisotropy: tracing plate dynamics in the mantle. *Science*, 296:485–489, 2002.
- J. Park, H. Yuan, and V. Levin. A serpentinite skidmark of trench-parallel terrane migration? *J. Geophys. Res.*, 109, doi:10.1029/2003JB002718, 2004.
- S. M. Peacock and R. D. Hyndman. Hydrous minerals in the mantle wedge and the maximum depth of subduction thrust earthquakes. *Geophys. Res. Lett.*, 26:2517–2520, 1999.
- S. M. Peacock and K. Wang. Seismic consequences of warm versus cool subduction metamorphism: examples from southwest and northeast Japan. *Science*, 286:937–939, 1999.

- S.M. Peacock. Are the lower planes of double seismic zones caused by serpentine dehydration in subducting oceanic mantle? *Geology*, 29:299–302, 2001.
- V. Peyton, V. Levin, J. Park, M. Brandon, M Lees, E. Gordeev, and A. Ozerov. Mantle flow at slab edge: seismic anisotropy in the Kamchatka region. *Geophys. Res. Lett.*, 28:379–382, 2001.
- J. Polet, P. G. Silver, S. Beck, T. Wallace, G. Zandt, S. Ruppert, R. Kind, and A. Rudloff. Shear wave anisotropy beneath the Andes from the BANJO, SEDA, and PISCO experiments. *J. Geophys. Res.*, 105:6287–6304, 2000.
- S. Poli and M. W. Schmidt. Petrology of subducted slabs. *Annu. Rev. Earth Planet. Sci.*, 30:207–235, 2002.
- S. H. Pozgay, D. A. Wiens, J.A. Conder, H. Shiobara, and H. Sugioka. Complex mantle flow in the Mariana subduction system:evidence from shear wave splitting. *Geophys. J. Int.*, 2007. in press.
- G. Ranalli. *Rheology of the Earth: Deformation and flow processes in geophysics and geodynamics*. Allen and Unwin, Boston, 1987. pp. 366.
- C.R. Ranero, J.P. Morgan, K. McIntosh, and C. Reichert. Bending-related faulting and mantle serpentinization at the Middle America trench. *Nature*, 425:367–373, 2003.
- R. Rau, W. Liang, H. Kao, and B. Huang. Shear wave anisotropy beneath the Taiwan orogen. *Earth Planet. Sci. Lett.*, 177:177–192, 2000.
- C. B. Rayleigh and M. S. Paterson. Experimental deformation of serpentinite and its tectonic implications. *J. Geophys. Res.*, 70:3965–3985, 1965.

- D. K. Rea and L. J. Ruff. Composition and mass flux of sediment entering the world's subduction zones: Implications for global sediment budgets, great earthquakes, and volcanism. *Earth Planet. Sci. Lett.*, 140:1–12, 1996.
- M Reyners, D Eberhart-Phillips, G Stuart, and Y Nishimura. Imaging subduction from the trench to 300 km depth beneath the central North Island, new zealand, with V_p and V_p/V_s . *Geophys. J. Int.*, 165:565–583, 2006.
- N. M. Ribe. On the relation between seismic anisotropy and finite strain. *J. Geophys. Res.*, 97:8737–8747, 1992.
- G. Rogers and H. Dragert. Episodic tremor and slip on the Cascadia subduction zone: the chatter of silent slip. *Science*, 300:1942–1943, 2003.
- L. J. Ruff and B. W. Tichelaar. What controls the seismogenic plate interface in subduction zones. In J. Eiler, D. W. Scholl, S. H. Kirby, and J. P. Platt, editors, *Subduction top to bottom*, Geophysical Monograph 96, pages 105–111. AGU, Washington, D.C., 1996.
- R. M. Russo and P. G. Silver. Trench-parallel flow beneath the Nazca plate from seismic anisotropy. *Science*, 263:1105–1111, 1994.
- I. S. Sacks. Subduction geometry and magma genesis. In *Explosive Volcanism: Inception, Evolution, and Hazards*, pages 34–46. National Academic Press, Washington, D.C., 1984.
- E. Sandvol and J. Ni. Deep azimuthal seismic anisotropy in the southern Kurile and Japan subduction zones. *J. Geophys. Res.*, 102:9911–9922, 1997.
- M. K. Savage. Seismic anisotropy and mantle deformation: what have we learned from shear wave splitting? *Rev. Geophysical*, 37:65–106, 1999.

- M.W. Schmidt and S. Poli. Experimentally based water budgets for dehydrating slabs and consequences for arc magma generation. *Earth Planet. Sci. Lett.*, 163: 361–379, 1998.
- C. H. Scholz. *The mechanics of earthquakes and faulting*. Cambridge University Press, Cambridge, 2002.
- R. Shinjo. Geochemistry of high Mg andesites and the tectonic evolution of the Okinawa Trough-Ryukyu arc system. *Chemical Geol.*, 157:69–88, 1999.
- R. Shinjo, J.D. Woodhead, and J.M. Hergt. Geochemical variation within the northern Ryukyu Arc: magma source compositions and geodynamic implications. *Contrib. Mineral. Petrol.*, 140:263–282, 2000.
- L. Siebert and T. Simkin. *Volcanoes of the world: An illustrated catalog of holocene volcanoes and their eruptions*. 2002. Global Volcanism Program Digital Inf. Ser., GVP-3, Smithsonian Inst., Washington, D. C. (Available at <http://www.volcano.si.edu/world/>).
- P. Skemer, I. Katayama, and S. Karato. Deformation fabrics of the Cima di Gagnone Peridotite Massif, Central Alps, Switzerland: Evidence of deformation under water-rich conditions at low temperatures. *Contrib. Mineral. Petrol.*, 152:43–51, 2006.
- G. P. Smith, D. A. Wiens, K. M. Fischer, L. M. Dorman, S. C. Webb, and J. A. Hildebrand. A complex pattern of mantle flow in the Lau Back arc. *Science*, 292: 713–716, 2001.
- W.H.F. Smith and D.T. Sandwell. Global seafloor topography from satellite altimetry and ship depth sounding. *Science*, 277:1957–1962, 1997.

- W. Soyer and M. Unsworth. Deep electrical structure of the northern Cascadia (British Columbia, Canada) subduction zone: Implications for the distribution of fluids. *Geology*, 34:53–56, 2006.
- A.J.M. Spencer. *Continuum Mechanics*. Longman, London, 1980.
- J. C. Stachnik, G. A. Abers, and D. Christensen. Seismic attenuation and mantle wedge temperatures in the Alaska subduction zone. *J. Geophys. Res.*, 109, doi:10.1029/2004JB003018, 2004.
- R. Stern. Subduction zones. *Rev. Geophys.*, 40, doi:10.1029/2001RG000108, 2002.
- K. Suyehiro, Takahashi, Y. Y. Ariie, Y. Yokoi, R. Hino, M. Shinohara, T. Kanazawa, N. Hirata, H. Tokuyama, and A. Taira. Continental crust, crustal underplating, and low-Q upper mantle beneath an oceanic island arc,. *Science*, 272:390–392, 1996.
- E. M. Syracuse and G. A. Abers. Global compilation of variations in slab depth beneath arc volcanoes and implications. *Geochem. Geophys. Geosyst.*, 7, doi:10.1029/2005GC001045, 2006.
- A. Taira. Tectonic evolution of the Japanese island arc system. *Annu. Rev. Earth Planet. Sci.*, 29:109–134, 2001.
- T. Takanami, I. S. Sacks, and A. Hasegawa. Attenuation structure beneath the volcanic front in northeastern Japan from broad-band seismograms. *Phys. Earth Planet. Int.*, 121:339–357, 2000.
- Y. Tamura, Y. Tatsumi, D. Zhao, Y. Kido, and H. Shukuno. Hot fingers in the mantle wedge: new insights into magma genesis in subduction zones. *Earth Planet. Sci. Lett.*, 197:105–116, 2002.

- N. Tsumura, S. Matsumoto, S. Horiuchi, and A. Hasegawa. Three-dimensional attenuation structure beneath the northeastern Japan arc estimated from spectra of small earthquakes. *Tectonophysics*, 319:241–260, 2000.
- D. L. Turcotte and G. Schubert. *Geodynamics*. Cambridge University Press, Cambridge, 2002.
- R. J. Twiss. Theory and applicability of a recrystallized grain size paleopiezometer. *Pure Appl. Geophys.*, 115:227–244, 1977.
- K. Ujiie. Evolution and kinematics of an ancient decollement zone, melange in the Shimanto accretionary complex of Okinawa Island, Ryukyu Arc. *J. Struc. Geol.*, 24:937–952, 2002.
- P. Ulmer. Partial melting in the mantle wedge—the role of H₂O in the genesis of mantle-derived ‘arc-related’ magmas. *Phys. Earth Planet. Int.*, 127:215–232, 2001.
- P. Ulmer and V. Trommsdorff. Serpentine stability to mantle depth and subduction-related magmatism. *Science*, 268:858–861, 1995.
- H. A. van der Vorst. Bi-CGSTAB: A fast and smoothly converging variant of Bi-CG for the solution of nonsymmetric linear systems. *SIAM J. Sci. Comput.*, 12:631–644, 1992.
- P. E. van Keken. The structure and dynamics of the mantle wedge. *Earth Planet. Sci. Lett.*, 215:323–338, 2003.
- P. E. van Keken, B. Kiefer, and S. M. Peacock. High-resolution models of subduction zones: Implications for mineral dehydration reactions and the transport of water into the deep mantle. *Geochem. Geophys. Geosyst.*, 3, doi:10.1029/2001DC000256, 2002.

- H. Čížková, J. van Hunen, van den Berg, A. P., and N. J. Vlaar. The influence of rheological weakening and yield stress on the interaction of slabs with the 670 km discontinuity. *Earth Planet. Sci. Lett.*, 199:447–457, 2002.
- R. Von Herzen, C. Ruppel, P. Molnar, N. Nettles, S. Nagihara, and G. Ekstrom. A constraint on the shear stress at the Pacific-Australian plate boundary from heat flow and seismicity at the Kermadec forearc. *J. Geophys. Res.*, 106:6817–6833, 2001.
- K. Wang and K. Suyehiro. How does plate coupling affect crustal stresses in Northeast and Southwest Japan. *Geophys. Res. Lett.*, 26:2307–2310, 1999.
- T. K. Wang, C. Lin, S. Liu, and C. Wang. Crustal structure of the southernmost Ryukyu subduction zone: OBS,MCS and gravity modeling. *Geophys. J. Int.*, 157:147–163, 2004.
- D. A. Wiens and G. P. Smith. Seismological constraints on the structure and flow patterns within the mantle wedge. In J. Eiler, editor, *Inside the subduction factory*, pages 83–105. AGU, Washington, D.C., 2003.
- C. Wolfe and S. C. Solomon. Shear-wave splitting and implications for mantle flow beneath the MELT region of the East Pacific Rise. *Science*, 280:1230–1232, 1998.
- J. Xie. Shear-wave splitting near Guam. *Phys. Earth Planet. Int.*, 72:211–219, 1992.
- X. Yang, K. M. Fischer, and G. Abers. Seismic anisotropy beneath the Shumagin Islands segment of the Aleutian-Alaska subduction zone. *J. Geophys. Res.*, 100:18165–18177, 1995.
- H Zhang, C. H. Thurber, D. Shelly, I. Satoshi, G. C. Beroza, and A. Hasegawa. High-

- resolution subducting-slab structure beneath northern Honshu, Japan revealed by double-difference tomography. *Geology*, 32:361–364, 2004.
- S. Zhang, S. Karato, J. F. Gerald, U. H. Faul, and Y. Zhou. Simple shear deformation of olivine aggregates. *Tectonophysics*, 316:133–152, 2000.
- D. Zhao. Seismological structure of subduction zones and its implications for arc magmatism and dynamics. *Phys. Earth Planet. Inter.*, 127:197–214, 2001.
- D. Zhao, D. Christensen, and H. Pulpan. Tomographic imaging of the Alaska subduction zone. *J. Geophys. Res.*, 100:6487–6504, 1995.
- D. Zhao, A. Hasegawa, and H. Kanamori. Deep structure of Japan subduction zone as derived from local, regional and teleseismic events. *J. Geophys. Res.*, 99:22313–22329, 1994.
- D. Zhao, O.P. Mishra, and R. Sanda. Influence of fluids and magma on earthquakes: seismological evidence. *Phys. Earth Planet. Inter.*, 132:249–267, 2002.
- D. Zhao, Y. Xu, D. Wiens, L. Dorman, J. Hildebrand, and S. Webb. Depth extent of the Lau back-arc spreading center and its relation to subduction processes. *Science*, 278:254–257, 1997.